

EMPFOHLENE & FREIGELEGEBENE REIFEN KTM MODELLE

Modell	Von KTM-Sportmotorcycle AG freigegebene Bereifung		Anmerkung
	vorne	hinten	
125 EXC	80/100 - 21 54M, 90/90 - 21 54M	120/90 - 18 65M, 140/80 - 18 65M, 140/80 R 18 65M	
	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition IV Bridgestone ED661	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition III Bridgestone ED660	
200 EXC	80/100 - 21 54M, 90/90 - 21 54M	120/80 - 18 65M, 120/90 - 18 65M, 140/80 - 18 65M, 140/80 R 18 65M	
	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition IV Bridgestone ED661	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition III Bridgestone ED660	
250 EXC	80/100 - 21 54M, 90/90 - 21 54M	120/80 - 18 65M, 120/90 - 18 65M, 140/80 - 18 65M, 140/80 R 18 65M	
	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition IV Bridgestone ED661	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition III Bridgestone ED660	
250 EXC RACING	80/100 - 21 54M, 90/90 - 21 54M	120/80 - 18 65M, 120/90 - 18 65M, 140/80 - 18 65M, 140/80 R 18 65M	
	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition IV Bridgestone ED661 Michelin MP 11	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition III Bridgestone ED660 Michelin MP 11	

Legende und Sicherheitshinweise siehe letzte Seite.

Stand:

02.01.2008



EMPFOHLENE & FREIGELEGEBENE REIFEN KTM MODELLE

Modell	Von KTM-Sportmotorcycle AG freigegebene Bereifung		Anmerkung
	vorne	hinten	
300 EXC	80/100 - 21 54M, 90/90 - 21 54M	120/80 - 18 65M, 120/90 - 18 65M, 140/80 - 18 65M, 140/80 R 18 65M	
	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition IV Bridgestone ED661	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition III Bridgestone ED660	
400 EXC RACING	80/100 - 21 54M, 90/90 - 21 54M	120/80 - 18 65M, 120/90 - 18 65M, 140/80 - 18 65M, 140/80 R 18 65M	
	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition IV Michelin MP 11 Bridgestone ED661	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition III Michelin MP 11 Bridgestone ED660	
450 EXC RACING	80/100 - 21 54M, 90/90 - 21 54M	120/80 - 18 65M, 120/90 - 18 65M, 140/80 - 18 65M, 140/80 R 18 65M	
	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition IV Michelin MP 11 Bridgestone ED661	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition III Michelin MP 11 Bridgestone ED660	
525 EXC RACING	80/100 - 21 54M, 90/90 - 21 54M	120/80 - 18 65M, 120/90 - 18 65M, 140/80 - 18 65M, 140/80 R 18 65M	
	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition IV Michelin MP 11 Bridgestone ED661	Metzeler MCE 6 Days - Extreme Pirelli MT 21 Pirelli Scorpion Pro Metzeler Unicross Metzeler MCE Karoo Michelin Enduro Competition III Michelin MP 11 Bridgestone ED660	

Legende und Sicherheitshinweise siehe letzte Seite.

Stand:

02.01.2008



EMPFOHLENE & FREIGELEGEBENE REIFEN KTM MODELLE

Modell	Von KTM-Sportmotorcycle AG freigegebene Bereifung		Anmerkung
	vorne	hinten	
625 SXC	90/90 - 21 54 Q	120/80 - 18 62Q, 130/80 - 18 65Q, 140/80 - 18 65Q	gedrosselt 25 kW gedrosselt 25 kW
	Pirelli MT 60 Pirelli MT 70 Pirelli MT 21 Pirelli Scorpion Pro Pirelli MT 90 A/T Metzeler MCE Karoo (T) Metzeler Enduro 3 Metzeler Tourance Michelin T 63 Michelin Sirac Michelin Enduro Competition IV Bridgestone ED 661 Bridgestone TW301	Pirelli MT 60 Pirelli MT 70 Pirelli MT 21 Pirelli Scorpion Pro Pirelli MT 90 A/T Metzeler MCE Karoo (T) Metzeler Enduro 3 Metzeler Tourance Michelin T 63 Michelin Sirac Michelin Enduro Competition III Bridgestone ED 660 Bridgestone TW302	
	90/90 - 21 M/C 54 R Metzeler MCE 6 Days Extreme	140/80 - 18 M/C 70 M Metzeler MCE 6 Days Extreme	
625 SMC	120/70 R 17 54 Q	150/60 R 17 65 Q, 160/60 R 17 65 Q	
	120/70 - 17 54 Q	150/60 - 17 65 Q, 160/60 - 17 65 Q	
640 LC4 ENDURO	90/90 - 21 54 Q	120/80 - 18 62Q, 130/80 - 18 65Q, 140/80 - 18 65Q	gedrosselt 25 kW gedrosselt 25 kW
	Pirelli MT 60 Pirelli MT 70 Pirelli MT 21 Pirelli Scorpion Pro Pirelli MT 90 A/T Metzeler MCE Karoo (T) Metzeler Enduro 3 Metzeler Tourance Michelin T 63 Michelin Sirac Michelin Enduro Competition IV Bridgestone ED 661 Bridgestone TW301 Continental TKC 80 54S TT	Pirelli MT 60 Pirelli MT 70 Pirelli MT 21 Pirelli Scorpion Pro Pirelli MT 90 A/T Metzeler MCE Karoo (T) Metzeler Enduro 3 Metzeler Tourance Michelin T 63 Michelin Sirac Michelin Enduro Competition III Bridgestone ED 660 Bridgestone TW302 Continental TKC 80 54S TT	
	90/90 - 21 M/C 54 R Metzeler MCE 6 Days Extreme	140/80 - 18 M/C 70 M Metzeler MCE 6 Days Extreme	
640 LC4 SUPERMOTO	120/70 R 17 54 Q	150/60 R 17 65 Q, 160/60 R 17 65 Q	
	120/70 - 17 54 Q	150/60 - 17 65 Q, 160/60 - 17 65 Q	
640 DUKE II	120/70 R 17 54 S	150/60 R 17 65 S, 160/60 R 17 65 S	
	120/70 - 17 54 S	150/60 - 17 65 S, 160/60 - 17 65 S	

Legende und Sicherheitshinweise siehe letzte Seite.

Stand:

02.01.2008



EMPFOHLENE & FREIGELEGEBENE REIFEN KTM MODELLE

Modell	Von KTM-Sportmotorcycle AG freigegebene Bereifung		Anmerkung
	vorne	hinten	
640 LC4 ADVENTURE	90/90 - 21 54 Q	120/80 - 18 62Q, 130/80 - 18 65Q, 140/80 - 18 65Q	gedrosselt 25 kW gedrosselt 25 kW
	Pirelli MT 60 Pirelli MT 70 Pirelli MT 21 Pirelli Scorpion Pro Pirelli MT 90 A/T Metzeler MCE Karoo (T) Metzeler Enduro 3 Metzeler Tourance Michelin T 63 Michelin Sirac Michelin Enduro Competition IV Bridgestone ED 661 Bridgestone TW301 Continental TKC 80 54S TT 90/90 - 21 M/C 54 R Metzeler MCE 6 Days Extreme	Pirelli MT 60 Pirelli MT 70 Pirelli MT 21 Pirelli Scorpion Pro Pirelli MT 90 A/T Metzeler MCE Karoo (T) Metzeler Enduro 3 Metzeler Tourance Michelin T 63 Michelin Sirac Michelin Enduro Competition III Bridgestone ED 660 Bridgestone TW302 Continental TKC 80 54S TT 140/80 - 18 M/C 70 M Metzeler MCE 6 Days Extreme	
660 SMC	120/70 R 17 54 Q	150/60 R 17 65 Q, 160/60 R 17 65 Q	
	120/70 - 17 54 Q	150/60 - 17 65 Q, 160/60 - 17 65 Q	
690 SUPERMOTO	120/70 ZR 17 M/C (58W) TL	160/60 ZR 17 M/C (69W) TL	
	Battlax BT-090F (58H) Metzeler Sportec M3 (58W) Avon Viper AV59 (589W) Avon Storm-ST AV55 (58W) Battlax BT-014F Radial SE (58W) Battlax BT-021F Sport Tour. (58W) Continental ContiForce SM (58H) Continental ContiSportAttack 2 Dunlop SPMX Qualifier F (58W) Dunlop SPMX Mutant (58W) Dunlop D270 F (58W) Metzeler Roadtec Z6 front (58W) Michelin Pilot Power (58W) Michelin Pilot Power 2CT (58W) Michelin Pilot Road 2CT (58W) Pirelli Diablo Strada (58W) Pirelli Scorpion Sync Front (58H) Pirelli Supercorsa Pro (58W)	Battlax BT-090R PRO (69H) Metzeler Sportec M3 (69W) Avon Viper AV60 (69W) Avon Storm-ST AV56 (69W) Battlax BT-014R (69W) Battlax BT-021R Sport Tour. (69W) Continental ContiForce SM (69H) Continental ContiSportAttack 2 Dunlop SPMX Qualifier (69W) Dunlop SPMX Mutant (69W) Dunlop D270 F (69W) Metzeler Roadtec Z6 (69W) Michelin Pilot Power (69W) Michelin Pilot Power 2CT (69W) Michelin Pilot Road 2CT (69W) Pirelli Diablo Strada (69W) Pirelli Scorpion Sync (69H) Pirelli Supercorsa Pro (69W)	
950 ADVENTURE/ ADVENTURE S	90/90 - 21 M/C 54 V Pirelli MT 90 Scorpion A/T	150/70 - 18 M/C 70 V Pirelli MT 90 Scorpion A/T	
	90/90 - 21 M/C 54 R M+S Metzeler MCE Karoo 2	150/70 - 18 M/C 70 R M+S Metzeler MCE Karoo	
	90/90 - 21 M/C 54 S TT Continental TKC80 M+S	150/70B18 M/C 70Q TT Continental TKC80 M+S	

Legende und Sicherheitshinweise siehe letzte Seite.

Stand:

02.01.2008



EMPFOHLENE & FREIGELEGEBENE REIFEN KTM MODELLE

Modell	Von KTM-Sportmotorcycle AG freigegebene Bereifung		Anmerkung
	vorne	hinten	
990 ADVENTURE S	90/90 - 21 M/C 54 V Pirelli MT 90 Scorpion A/T 90/90 - 21 M/C 54 R M+S Metzeler MCE Karoo 2 90/90 - 21 M/C 54 S TT Continental TKC80 M+S	150/70 - 18 M/C 70 V Pirelli MT 90 Scorpion A/T 150/70 - 18 M/C 70 R M+S Metzeler MCE Karoo 150/70B18 M/C 70Q TT Continental TKC80 M+S	bis 160km/h
990 SUPERDUKE MY 2005 / 2006	120/70 ZR 17 M/C 58 W TL	180/55 ZR 17 M/C 73 W TL	vorne/hinten
	AVON Viper	AVON Viper	2,4 bar solo
	AVON Storm ST	AVON Storm ST	2,4 bar solo
	Bridgestone BT 014 SE	Bridgestone BT 014	2,4 bar solo
	Bridgestone BT 021	Bridgestone BT 021	2,4 bar solo
	Bridgestone BT 002 Street	Bridgestone BT 002 Street	2,4 bar solo
	Michelin Pilot Power	Michelin Pilot Power	2,4 bar solo
	Michelin Pilot Power 2CT	Michelin Pilot Power 2CT	2,4 bar solo
	Conti Sport Attack	Conti Sport Attack	2,4 bar solo
	Conti Race Attack	Conti Race Attack	2,4 bar solo
	Dunlop Sportmax Qualifier	Dunlop Sportmax Qualifier	2,4 bar solo
	Dunlop Sportmax D208RR	Dunlop Sportmax D208RR	2,4 bar solo
	Pirelli Supercorsa Pro	Pirelli Supercorsa Pro	2,4 bar solo
	Pirelli Diablo Corsa	Pirelli Diablo Corsa	2,4 bar solo
	Pirelli Diablo Strada	Pirelli Diablo Strada	2,4 bar solo
	Pirelli Diablo	Pirelli Diablo	2,4 bar solo
	Pirelli Diablo T - OEM	Pirelli Diablo T - OEM	2,4 bar solo
	Metzeler Roadtec Z6	Metzeler Roadtec Z6	2,4 bar solo
	Metzeler Racetec K3	Metzeler Racetec K3	2,4 bar solo
990 SUPERDUKE MY 2007	120/70 ZR 17 M/C 58 W TL	180/55 ZR 17 M/C 73 W TL	vorne/hinten
	AVON Viper	AVON Viper	2,4 bar solo
	AVON Storm ST	AVON Storm ST	2,4 bar solo
	Bridgestone BT 002 Street	Bridgestone BT 002 Street	2,4 bar solo
	Bridgestone BT 021	Bridgestone BT 021	2,4 bar solo
	Bridgestone BT 014 SE	Bridgestone BT 014 SE	2,4 bar solo
	Continental Sport Attack	Continental Sport Attack	2,4 bar solo
	Continental Sport Attack 2	Continental Sport Attack 2	2,4 bar solo
	Continental Race Attack	Continental Race Attack	2,4 bar solo
	Dunlop Sportmax Qualifier	Dunlop Sportmax Qualifier	2,4 bar solo
	Dunlop Sportmax Qualifier RR	Dunlop Sportmax Qualifier RR	2,4 bar solo
	Dunlop Sportmax D208RR OEM	Dunlop Sportmax D208RR OEM	2,4 bar solo
	Metzeler Racetec K3	Metzeler Racetec K3	2,4 bar solo
	Metzeler Roadtec Z6	Metzeler Roadtec Z6	2,4 bar solo
	Michelin Pilot Power	Michelin Pilot Power	2,4 bar solo
	Michelin Pilot Power 2CT	Michelin Pilot Power 2CT	2,4 bar solo
	Michelin Pilot Road	Michelin Pilot Road	2,4 bar solo
	Michelin Pilot Road 2	Michelin Pilot Road 2	2,4 bar solo
	Pirelli Supercorsa Pro	Pirelli Supercorsa Pro	2,4 bar solo
	Pirelli Diablo Corsa	Pirelli Diablo Corsa	2,4 bar solo
	Pirelli Diablo Corsa 3	Pirelli Diablo Corsa 3	2,4 bar solo
	Pirelli Diablo	Pirelli Diablo	2,4 bar solo
	Pirelli Diablo T	Pirelli Diablo T	2,4 bar solo
	Pirelli Scorpion Sync	Pirelli Scorpion Sync	2,4 bar solo
	Pirelli Diablo Strada	Pirelli Diablo Strada	2,4 bar solo

Legende und Sicherheitshinweise siehe letzte Seite.



Stand: 02.01.2008

EMPFOHLENE & FREIGELEGEBENE REIFEN KTM MODELLE

Modell	Von KTM-Sportmotorcycle AG freigegebene Bereifung		Anmerkung
	vorne	hinten	
990 SUPERDUKE R MY 2007	120/70 ZR 17 M/C 58 W TL	180/55 ZR 17 M/C 73 W TL	vorne/hinten 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo 2,4 bar solo
	AVON Viper Bridgestone BT 002 Street Bridgestone BT 021 Continental Sport Attack 2 Dunlop Sportmax Qualifier Dunlop Sportmax D208RR - OEM Metzeler Sporttec M3 Metzeler Roadtec Z6 Michelin Pilot Road 2 Pirelli Supercorsa Pro Pirelli Diablo Corsa 3 Pirelli Diablo Pirelli Scorpion Sync Pirelli Diablo Strada	AVON VIPER Bridgestone BT 002 Street Bridgestone BT 021 Continental Sport Attack 2 Dunlop Sportmax Qualifier Dunlop Sportmax D208RR - OEM Metzeler Sporttec M3 Metzeler Roadtec Z6 Michelin Pilot Road 2 Pirelli Supercorsa Pro Pirelli Diablo Corsa 3 Pirelli Diablo Pirelli Scorpion Sync Pirelli Diablo Strada	
950 SUPER ENDURO R	90/90 - 21 M/C 54H TL Metzeler Enduro 3	140/80 - 18 M/C 70H TL Metzeler Enduro 3	bis 160km/h
	90/90 - 21 M/C 54Q M+S TL Metzeler MCE Karoo 2 (T)	140/80 - 18 M/C 70Q M+S TL Metzeler MCE Karoo 2 (T)	
	90/90 - 21 M/C 54S TT M+S Continental TKC80	140/80 - 18 M/C 70R TT M+S Continental TKC80	
950 SUPERMOTO/ SUPERMOTO R	120/70 ZR 17 M/C 58 W TL	180/55 ZR 17 M/C 73 W TL	2,4 / 2,6 bar 2,4 / 2,6 bar
	Michelin Pilot Road S Bridgestone BT002F Racing Street Avon AV59 Viper, Sport, Supersport Avon AV55 Storm-ST Dunlop Sportmax D208RR Pirelli Dragon Supercorsa Pro Pirelli Scorpion Sync	Michelin Pilot Road S Bridgestone BT002R Racing Street Avon AV60 Viper, Sport, Supersport Avon AV56 Storm-ST Dunlop Sportmax D208RR Pirelli Dragon Supercorsa Pro Pirelli Scorpion Sync	
990 ADVENTURE ABS	90/90 - 21 M/C 54 V Pirelli MT 90 Scorpion A/T	150/70 - 18 M/C 70 V Pirelli MT 90 Scorpion A/T	
	90/90 - 21 M/C 54 S TT Continental TKC80 M+S	150/70B18 M/C 70Q TT Continental TKC80 M+S	

Legende und Sicherheitshinweise siehe letzte Seite.

Stand:

02.01.2008



EMPFOHLENE & FREIGELEGEBENE REIFEN KTM MODELLE

Reifenfreigaben gelten immer **paarweise** (pro Zeile)

Indizes sind **Mindestangaben**

Geschwindigkeitsindex			
Index	km/h	Index	km/h
J	100	S	180
K	110	T	190
L	120	U	200
M	130	H	210
N	140	V	240
P	150	W	270
Q	160	ZR	>240
R	170	Y	300

Tragfähigkeitsindex			
Index	kg	Index	kg
54	212	67	307
55	218	68	315
56	224	69	325
57	230	70	335
58	236	71	345
59	243	72	355
60	250	73	365
61	257	74	375
62	265	75	387
63	272	76	400
64	280	77	412
65	290	78	425
66	300	79	437

Hinweis in eigener Sache: Reifentests fixer Bestandteil der KTM Fahrzeugentwicklung

Mit dem Wissen um den gewaltigen Einfluss von Reifenkonstruktionen auf das Fahrverhalten, beschäftigt sich die KTM Entwicklungsabteilung seit Jahren intensiv mit der Reifenerprobung. Motorradreifen sind dabei fixer Bestandteil des gesamten Fahrzeugkonzepts. KTM testet sowohl im Dauerlauf als auch unter speziellen Bedingungen (Regen, Hitze, Rennstrecke, Handling) mögliche Reifenmischungen auf Ihre optimale Verträglichkeit mit dem Fahrzeug. Nur der Reifen, der das umfangreiche Testprozedere im Hinblick auf Hochgeschwindigkeitsstabilität, Lenkpräzision, Handling, Nass- und Trockenhaftung sowie Verschleiss meistert, erhält von den KTM Fahrzeugtechnikern eine Empfehlung - und damit "grünes Licht" für das tägliche Motorradleben